



Cutting and Grinding wheels



Cut-Off Wheels

3" to 16" **Cut off wheels (for steel and stainless steel)** **Blue line T-1**



Advantages:

- Quick cutting speed
- Reduced heat generation
- Good life-time
- Show a good ratio performance / price

Features:

- Resinoid bond aluminum oxide reinforced with fiber glass
- Fe, S and Cl free ($\leq 0,1\%$)

Applications

- Excellent choice for cutting of car body, panels, profiles, steels and stainless steel, composites, coated metal (1 mm wheels), etc.

Ordering Information

Portable machine (T-1)		
Sizes		Article-ID
3" x 3/64" x 3/8"	76 x 1,0 x 10 mm	0020.4825
4-1/2" x 3/64" x 7/8"	115 x 1,0 x 22,23 mm	0020.4697
4-1/2" x 3/32" x 7/8"	115 x 2,5 x 22,23 mm	0020.4698
5" x 3/64" x 7/8"	125 x 1,0 x 22,23 mm	0020.4699
5" x 1/16" x 7/8"	125 x 1,6 x 22,23 mm	0020.4702
5" x 3/32" x 7/8"	125 x 2,5 x 22,23 mm	0020.4733
7" x 1/16" x 7/8"	180 x 1,6 x 22,23 mm	0020.5882
9" x 1/16" x 7/8"	230 x 1,8 x 22,23 mm	0020.4734
Stationary machine (T-1)		
14" x 3/32" x 1"	350 x 2,6 x 25,40 mm	0020.5528
16" x 1/8" x 1"	400 x 3,2 x 25,40 mm	0020.5529

4" to 9" **Cut off wheels (for steel and stainless steel)** **Yellow line T-1**



Advantages:

- Highest cutting speed
- Reduced heat generation
- Life-time and performance above average

Structure:

- Resinoid bond aluminum oxide reinforced with fiber glass
- Fe, S and Cl free ($\leq 0,1\%$)

Applications

- Excellent choice for cutting of car body, panels, profiles, steels and stainless steel, etc.

Ordering Information

Sizes		Article-ID
4" x 3/64" x 5/8"	100 x 1,0 x 16 mm	0020.5527
4-1/2" x 3/64" x 7/8"	115 x 1,0 x 22,23 mm	0020.4735
4-1/2" x 1/16" x 7/8"	115 x 1,6 x 22,23 mm	0020.4736
4-1/2" x 3/32" x 7/8"	115 x 2,5 x 22,23 mm	0020.4737
5" x 3/64" x 7/8"	125 x 1,0 x 22,23 mm	0020.4700
5" x 1/16" x 7/8"	125 x 1,6 x 22,23 mm	0020.4701
5" x 3/32" x 7/8"	125 x 2,5 x 22,23 mm	0020.4703
9" x 5/64" x 7/8"	230 x 2,0 x 22,23 mm	0020.4704
9" x 1/8" x 7/8"	230 x 3,0 x 22,23 mm	0020.4705

4-1/2" & 5" **Cut off wheels (for steel)** **Best cut T-1**



Advantages:

- Extremely long life
- Highest cutting performance
- Reduced heat generation
- Reinforced for extra safety requirements

Structure:

- First class aluminum oxide abrasives
- Resinoid bond abrasives reinforced with fiber glass

Applications:

- Excellent choice for low-alloy and high-alloy steels
- Thin sheets, profiles, solid materials

Ordering Information

Thin wheels		
Sizes		Article-ID
4-1/2" x 1/16" x 7/8"	115 x 1,6 x 22,23 mm	0020.5858
5" x 1/16" x 7/8"	125 x 1,6 x 22,23 mm	0020.5860
Ultra thin wheels		
4-1/2" x 3/64" x 7/8"	115 x 1,0 x 22,23 mm	0020.5856
5" x 3/64" x 7/8"	125 x 1,0 x 22,23 mm	0020.5857

Cut-Off wheels with depressed center

4" to 9"
(100 to 230 mm)

Cut off wheels (for steel and stainless steel)

Yellow line
T-27



Advantages:

- Highest cutting speed
- Reduced heat generation
- Life-time and performance above average

Structure:

- Resinoid bond aluminum oxide reinforced with fiber glass
- Fe, S and Cl free ($\leq 0,1\%$)

Applications

- Excellent choice for cutting of car body, panels, profiles, steels and stainless steel, etc.

Ordering Information

Thin wheels		
Sizes		Article-ID
4-1/2" x 3/32" x 7/8"	115 x 2,5 x 22,23 mm	0020.4826
5" x 3/32" x 7/8"	125 x 2,5 x 22,23 mm	0020.4827
5" x 1/8" x 7/8"	125 x 3,2 x 22,23 mm	0020.4751
9" x 1/8" x 7/8"	230 x 3,0 x 22,23 mm	0020.4828
Ultra thin wheels		
4-1/2" x 3/64" x 7/8"	115 x 1,0 x 22,23 mm	0020.6554
5" x 3/64" x 7/8"	125 x 1,0 x 22,23 mm	0020.6555
7 x 1/16" x 7/8"	180 x 1,6 x 22,23 mm	0020.6556

Grinding wheels with depressed center

4-1/2" to 9"
(115 to 230 mm)

Grinding wheels (for steel and stainless steel)

Blue line
T-27



Advantages:

- Quick cutting speed
- Reduced heat generation
- Good life-time
- Show a good ratio performance / price

Structure:


- Resinoid bond aluminum oxide reinforced with fiber glass
- Fe, S and Cl free ($\leq 0,1\%$)

Applications

- Excellent choice for grinding off welding seams on steel and stainless steel, deburring and dressing of joints and angles.

Ordering Information

Sizes		Article-ID
4-1/2" x 1/4" x 7/8"	115 x 6,0 x 22,23 mm	0020.4706
5" x 1/4" x 7/8"	125 x 6,0 x 22,23 mm	0020.4707
7" x 1/4" x 7/8"	180 x 7,0 x 22,23 mm	0020.4738
9" x 1/4" x 7/8"	230 x 6,5 x 22,23 mm	0020.4708



Coated abrasives

Classic flexible abrasives and systems for conventional surface treatment on all types of material.




Nonwoven abrasives

Nonwoven products for preparation and cleaning tasks and for surface finishing, especially on metal.



Microabrasives

Products on special polyester film to give defined surface structures in the areas of graphics, optics and the auto industry.



Foam abrasives

Foam sanding pads in the widest possible range of shapes and grades for precision sanding on wood, fillers, paintwork and varnish.

sia Abrasives offers the full range of Coated Abrasives. Ask us for other high quality abrasives.

sia Abrasifs J.J.S, Inc.

900, Chemin Olivier, St-Nicolas (Quebec) G7A 2N1

Tel.: (418) 836-0557 - Fax.: (418) 836-0537 - Toll free 1-800-463-1574

346 Millway Ave. Unit # 8, Concord (ontario) L4K 3W1

Tel.: (905) 669-8170 - Fax: (905) 669-8177 - Toll free 1-800-337-1325

abrasifsjjs@siajjs.com

www.siajjs.com

Your Key to a Perfect Surface

